ELSEVIER

Volume 268 Numbers 1–2, 27 March 1998

Journal of ALLOYS AND COMPOUNDS

Contents

Letters

Structural and magnetic properties of new RRuGe compounds L1
A.V. Morozkin, S.A. Nikitin, Yu.D. Seropegin, I.A. Sviridov, I.A. Tskhadadze (Moscow, Russia)

The Sc–Nd–Si ternary system at 870 K L3
O.E. Banakh, B.Ya. Kotur (Lviv, Ukraine)

Physics

Coherent Kondo-lattice ground state in $CeNi_{0.85}Rh_{0.15}Sn$ alloy 1
D.T. Adroja, B.D. Rainford, M. Houshiar (Southampton, UK)

Hydrogen absorption characteristics in $Zr_{0.2}Ho_{0.8}CoFe$ 10
T.R. Kesavan, S. Ramaprabhu, K.V.S. Rama Rao (Madras, India), T.P. Das (Albany, NY, USA)

Magnetic properties and cation distribution in iron containing pyrochlores 16
G. Filoti (Bucharest-Magurele, Romania), M. Rosenberg (Bochum, Germany), V. Kuncser (Bucharest-Magurele, Romania), B. Seling, T. Fries, A. Spies, S. Kemmler-Sack (Tübingen, Germany)

Crystal growth and semiconducting properties of $Ce_3Bi_4Pt_3$ 22
K. Katoh, T. Takabatake (Higashi-Hiroshima, Japan)

Magnetoresistance of RNi_4Sn_2 (R=La, Ce, Pr and Nd) compounds 25
S.K. Dhar, A.K. Nigam (Mumbai, India), W. Zhao, J. Tang (New Orleans, LA, USA)

A magnetic study of $ThCr_2Si_2$-type pseudo-ternary $RMn_{1.5}T_{0.5}Ge_2$ compounds. (R=Y, Ce–Sm, Gd–Ho; T=Fe, Cu) 29
N.M. Norlidah, G. Venturini, B. Malaman (Vandoeuvre les Nancy, France)

Crystal structure and magnetic properties of CeV_2Al_{20} and $CeCr_2Al_{20}$ 39
O. Moze (Modena, Italy), L.D. Tung, J.J.M. Franse, K.H.J. Buschow (Amsterdam, The Netherlands)

Chemistry

High temperature enthalpies and heat capacities of $YbMnO_3$ and $YMnO_3$ 42
H. Satoh, J.-i. Iwasaki, K. Kawase, N. Kamegashira (Toyohashi, Japan)

Synthesis and crystal structure of europium(II) diacetate hemihydrate, $Eu(CH_3COO)_2 \cdot 0.5H_2O$ 47
P. Starynowicz (Wrocław, Poland)

Single phase domain occurrence in the $Rh_{1+x}Te_2$ ($0.15 \leq x \leq 0.84$) system 50
V. Abadie, S. Jobic (Nantes, France), R. Krachler, H. Ipser (Wien, Austria), I. Orion (Aveiro, Portugal), R. Brec (Nantes, France)

Europium doped $BaMgF_4$, an EPR and optical investigation 60
J.M. Rey, H. Bill, D. Lovy, H. Hagemann (Genève, Switzerland)

Luminescence properties of $LiSr_2Y_{1-x}Ln_xO_4$ (Ln=Eu,Tb,Tm) ($0 \leq x \leq 1$) 66
S.-i. Kubota, Y. Suzuyama, H. Yamane, M. Shimada (Sendai, Japan)

Color and chemical heterogeneities of γ-[Na]-Ce_2S_3 solid solutions 72
I.G. Vasilyeva, B.M. Ayupov, A.A. Vlasov, V.V. Malakhov, P. Macaudière, P. Maestro (Novosibirsk, Russia and Aubervilliers, France)

Planar defects and luminescence of $BaTiO_3$ particles synthesized by a polymerized complex method 78
W.-S. Cho, E. Hamada (Tokyo, Japan)

Thermal stability of transition metal carbosulfides prepared by combustion synthesis 83
P. Wally, M. Ueki (Kawasaki, Japan)

Formation of β-PdD containing high deuterium concentration using electrolysis of heavy-water 89
E. Storms (Santa Fe, NM, USA)

Elsevier Science S.A.

Crystal structure of $K_{18.5}H_{1.5}[Ce_3(CO_3)(SbW_9O_{33})(W_5O_{18})_3]\cdot 14H_2O$ 100
H. Naruke, T. Yamase (Yokohama, Japan)

Crystal structure of $NaGaTe_2O_6$: Aspects of Te_nO_m polyhedral polymerization in a layer tellurite 107
R. Miletich (Bayreuth, Germany), F. Pertlik (Vienna, Austria)

An X-ray study of the mixed-layered compounds of $(GeTe)_n$ $(Sb_2Te_3)_m$ homologous series 112
O.G. Karpinsky, L.E. Shelimova, M.A. Kretova (Moscow, Russia), J.-P. Fleurial (Pasadena, CA, USA)

Metallurgy

Enthalpies of formation of the Al–Nb intermetallic compounds 118
K. Mahdouk (Agadir, Morocco), J.-C. Gachon (Vandoeuvre lès Nancy, France), L. Bouirden (Agadir, Morocco)

Influence of silver additions on the aging characteristics of the Cu–10.4at.%Al alloy 122
A.T. Adorno, M.R. Guerreiro, A.V. Benedetti (Araraquara-SP, Brasil)

Phase equilibria in the Fe-rich portion of the Fe–Ni–Si system 130
O. Ikeda, Y. Himuro, I. Ohnuma, R. Kainuma, K. Ishida (Sendai, Japan)

The 520°C isothermal section of the phase diagram of the ternary Dy–Fe–Si system 137
Z. Yinghong, Y. Yiqiang, Z. Huaiying, Q. Wen (Guangxi, P.R. China)

The role of experimental parameters in combustion synthesis of NiAl under high gas pressure 141
M.-C. Dumez, R.-M. Marin-Ayral, J.-C. Tédenac (Montpellier, France)

Phase relations in the Fe-rich region of the Gd–Fe–Ti system at 1373 K 152
G.Y. Huo, Z.Y. Qiao, G.H. Rao, J.K. Liang, Q.L. Liu, J.H. Tian (Beijing, People's Republic of China)

Structural properties of the $ThMn_{12}$-type nonstoichiometric solid solutions in the Fe–Gd–Mo system 155
M. Zinkevitch, N. Mattern, K. Wetzig (Dresden, Germany)

Structural phase transition of $HoGa_2$ at high pressure 161
U. Schwarz, S. Bräuninger, Yu. Grin, K. Syassen (Stuttgart, Germany), M. Hanfland (Grenoble, France)

Structural and mechanical spectroscopy study of the β_1' martensite decomposition in Cu-12% Al-3% Ni(wt.%) alloy 166
V. Pelosin, A. Rivière (Futuroscope, France)

The crystal structures of Rb_2MgH_4 and Rb_3MgH_5 by neutron powder diffraction 173
M. Bortz (Genève, Switzerland), A. Hewat (Grenoble, France), K. Yvon (Genève, Switzerland)

Crystal structure of the ternary silicide, $SmRh_5Si_{3.17}$ 177
J. Stepień-Damm (Wrocław, Poland), Yu. Prots', P.S. Salamakha, O.I. Bodak (L'viv, Ukraine), Yu. Morozkin, Yu.D. Seropegin (Moscow, Russian Federation)

Fractional packing densities and fast diffusion in uranium and other light actinides 180
H. Blank (Karlsruhe, Germany)

Phase relations in the Pt–Ga–Sb system at 500°C 188
S.L. Markovski, M.C.L.P. Pleumeekers, A.A. Kodentsov, F.J.J. van Loo (Eindhoven, The Netherlands)

X-ray single crystal structure refinements of the isotypic $RMnSi_2$ (R=La, Nd) and $PrMnCu_{0.5}Ge_{1.5}$ compounds 193
N.M. Norlidah, G. Venturini, B. Malaman (Vandoeuvre les Nancy, France)

Experimental equilibrium phase diagram of the Ag–Bi–Sn system 199
S. Hassam (Compiègne, France), E. Dichi, B. Legendre (Paris, France)

Materials Science

Stability of $LaNi_{5-x}Al_x$ alloys (x=0~0.5 during hydriding and dehydriding cycling in hydrogen containing O_2 and H_2O . . . 207
K. Nishimura, K. Sato, Y. Nakamura, C. Inazumi, K. Oguro, I. Uehara, S. Fujitani, I. Yonezu (Osaka, Japan)

Solid-state reaction of Al/CuO couple by high-energy ball milling 211
X. Shengqi, Q. Xiaoyan, M. Mingliang, Z. Jingen, Z. Xiulin, W. Xiaotian (Xi'an, P.R. China)

Thermally activated flux dissipation in Ag-added $YBa_2Cu_3O_{7-x}$ (123) prepared by flame-quench-melt-growth (FQMG) method 215
A. Ateş, E. Yanmaz, S. Çelebi (Trabzon, Turkey)

Preparation of cubic AuBe5-type $YbCu_{5-x}Al_x$ ($0\leq x\leq 0.5$) under high pressure and their Kondo behavior 221
J. He, N. Tsujii, K. Yoshimura, K. Kosuge (Kyoto, Japan)

Properties of sprayed YSZ buffer layers on alumina substrates for YBCO thick films 226
Y. Matsuoka, E. Ban (Nagoya, Japan)

Structural characterization and reversible hydrogen absorption properties of Mg_2Ni rich nanocomposite materials synthesized by mechanical alloying 233
M. Abdellaoui (Tunis, Tunisia), D. Cracco, A. Percheron-Guegan (Meudon, France)

The electrode characteristics of over-stoichiometric $ZrMn_{0.5}V_{0.5}Ni_{1.4+y}$ (y=0.0, 0.2, 0.4 and 0.6) alloys with C15 Laves phase structure 241
D.-M. Kim, S.-M. Lee, K.-J. Jang, J.-Y. Lee (Taejon, South Korea)

Morphology and hydrogen absorption properties of an AB_2 type alloy ball milled with Mg_2Ni 248
D. Cracco, A. Percheron-Guégan (Meudon, France)

Fabrication and characterization of $Bi_{1.84}Pb_{0.34}Sr_{1.91}Ca_{2.03}Cu_{3.06}O_{10}$ superconductors prepared by a wet technique 256
S. Çelebi (Trabzon, Turkey), I. Karaca (Niğde, Turkey), A. Öztürk, S. Nezir (Trabzon, Turkey)

Electrochemical behaviors of low-Co Mm-based alloys as MH electrodes 261
W.-K. Hu, H. Lee, D.-M. Kim (Taejon, South Korea), S.-W. Jeon (Seoul, South Korea), J.-Y. Lee (Taejon, South Korea)

X-ray diffraction study of mechanochemical synthesis and formation mechanisms of zirconium carbide and zirconium silicides 266
B.K. Yen (Tokyo, Japan)

FMR study of crystallization in the amorphous alloy $Co_{69}Fe_4Ni_1Mo_2B_{12}Si_{12}$ (Metglas 2705M) 270
R.S. de Biasi, M.L.N. Grillo (Rio de Janeiro, Brazil)

Long wavelength Ce^{3+} emission in Y–Si–O–N materials 272
J.W.H. van Krevel, H.T. Hintzen, R. Metselaar (Eindhoven, The Netherlands), A. Meijerink (Utrecht, The Netherlands)

Effect of Nb addition on the crystallization behavior and magnetic properties of melt-spun Fe-rich Fe–Nd–B ribbons 278
T.J. Konno (Sendai, Japan), M. Uehara, S. Hirosawa (Osaka, Japan), K. Sumiyama, K. Suzuki (Sendai, Japan)

Ball-milling of Mg_2Ni under hydrogen 285
P. Tessier, H. Enoki, M. Bououdina, E. Akiba (Ibaraki, Japan)

Self-discharge mechanism of Vanadium–Titanium metal hydride electrodes for Ni–MH rechargeable battery 290
K.-J. Jang, J.-H. Jung, D.-M. Kim, J.-S. Yu, J.-Y. Lee (Taejon, South Korea)

Role of intermetallics in the activation of Al–Mg–Zn alloys 295
A. Barbucci (Genoa, Italy), P.L. Cabot (Barcelona, Spain), G. Bruzzone, G. Cerisola (Genoa, Italy)

Hydrogen absorption properties of a mechanically milled Mg–50 wt.% $LaNi_5$ composite 302
G. Liang (Ste-Foy, Canada), S. Boily, J. Huot (Varennes, Canada), A. Van Neste (Ste-Foy, Canada), R. Schulz (Varennes, Canada)

Impact of intermetallic precipitates on hydrogen distribution in the oxide layers formed on zirconium alloys in a steam atmosphere: a $^2D(^3He,p)\alpha$ nuclear analysis study in microbeam mode 308
G. Lelièvre (Grenoble, France), C. Tessier (Gif sur Yvette, France), X. Iltis (Grenoble, France), B. Berthier (Gif sur Yvette, France), F. Lefebvre (Grenoble, France)

Author Index of Volume 268 319

Subject Index of Volume 268 321

CONTENTS DIRECT

ContentsDirect delivers the table of contents for this journal, by e-mail, approximately two to four weeks prior to each issue's publication. To subscribe to this free service complete and return the form at the back of this issue or send an e-mail message to CDsubs@elsevier.co.uk